

Day : Wednesday

Date: 8/4/2004

Time: 21:42:49

**Inventor Name Search Result**

Your Search was:

Last Name = SUZUKI

First Name = YASUJI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 3
<a href="#">29127333</a>	Not Issued	030	08/03/2000	OPTIMIZER FILTER AND MANIFOLDS	SUZUKI, YASUJI
<a href="#">10811991</a>	Not Issued	030	03/30/2004	COATED FILM FORMING METHOD AND APPARATUS THEREFOR	SUZUKI, YASUJI
<a href="#">10050152</a>	Not Issued	093	01/18/2002	COATED FILM FORMING METHOD AND APPARATUS THEREFOR	SUZUKI, YASUJI

Inventor Search Completed: No Records to Display.

<b>Search Another: Inventor</b>	<b>Last Name</b>	<b>First Name</b>	<input type="button" value="Search"/>
	<input type="text" value="SUZUKI"/>	<input type="text" value="YASUJI"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

L Number	Hits	Search Text	DB	Time stamp
24	112	(427/183).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
25	246	(427/181).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
26	967	(427/230).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:46
27	210	(427/231).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:47
28	108	(427/232).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 17:47
29	177	(427/233).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:27
30	193	(427/234).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:27
31	267	(427/235).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:27
32	478	(427/237).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:28
33	481	(427/238).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:28
34	784	(427/239).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 19:06
35	1184	(427/240).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:29

36	121	(427/241).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:29
37	6	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (pipe or tube) and (thermoplastic or adhesive or paste) and ((timing near3 controller) or timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:31
38	318	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (pipe or tube) and (thermoplastic or adhesive or paste)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:31
39	3	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (pipe or tube) and (thermoplastic or adhesive or paste) and (heater near10 nozzle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:52
40	3	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (thermoplastic or adhesive or paste) and (heater near10 nozzle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 18:53
41	14	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (thermoplastic or adhesive or paste) and (heating near10 nozzle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 19:36
42	0	"363163"	JPO	2004/08/04 19:07
43	0	"137793"	JPO	2004/08/04 19:07
44	0	"4363163"	JPO	2004/08/04 19:07
45	0	jp04-363163	JPO	2004/08/04 19:07
46	65	yasui.in. near1 toshiyuki.in.	JPO	2004/08/04 19:08
48	616	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (rpm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:45
49	190	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and ( (speed or velocity) near10 nozzle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16
47	269	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (thermoplastic or adhesive or paste) and (viscosity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 19:53
50	74	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (thermoplastic or adhesive or paste) and ((viscosity) near20 (cp or centipoise))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:00

51	1259	((hollow or inner) near10 (pipe or tube or cylinder)) and (thermoplastic or adhesive or paste) and ((viscosity) near20 (cp or centipoise))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:01
52	685	((hollow or inner) near10 (pipe or tube or cylinder)) and (thermoplastic or adhesive or paste) and ((viscosity) near20 (cp or centipoise)) and (coat or spray or dispense)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:04
53	482	((hollow or inner) near10 (pipe or tube)) and (thermoplastic or adhesive or paste) and ((viscosity) near20 (cp or centipoise)) and (coat or spray or dispense)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:29
54	34	(pipe near5 (liner or lining)) and (thermoplastic or adhesive or paste) and ((viscosity) near20 (cp or centipoise)) and (coat or spray or dispense)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:29
55	291	(((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and (rpm) and (pipe or tube)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 20:46
70	216	156/\$.ccls. and (pipe or tube) and (thermoplastic or adhesive or paste) and ((timing near3 controller) or timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
73	557	((pipe or tube) near20 interior) and (thermoplastic or adhesive or paste) and ((timing near3 controller) or timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
56	123	(118/699).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
57	60	(118/702).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
58	84	(118/703).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
59	275	(118/694).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
60	64	(118/693).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:15
61	1266	(118/712).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16

62	727	(118/317).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16
63	267	(118/318).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16
64	269	(118/306).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16
65	358	(118/dig.11).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16
66	462	(118/dig.10).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:16
67	251	(156/356).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17
68	219	(156/366).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17
69	1126	(156/578).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17
71	267	156/\$.ccls. and (pipe or tube) and (thermoplastic or adhesive or paste) and ((timing near3 controller) or timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17
72	99	118/\$.ccls. and (pipe or tube) and (thermoplastic or adhesive or paste) and ((timing near3 controller) or timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17
74	77	((pipe or tube) near20 circumferential) and (thermoplastic or adhesive or paste) and ((timing near3 controller) or timer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17
75	197	((427/183).CCLS.) ((427/181).CCLS.) ((427/230).CCLS.) ((427/231).CCLS.) ((427/232).CCLS.) ((427/233).CCLS.) ((427/234).CCLS.) ((427/235).CCLS.) ((427/237).CCLS.) ((427/238).CCLS.) ((427/239).CCLS.) ((427/240).CCLS.) ((427/241).CCLS.)) and ( (pressure) near10 nozzle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 21:17